


# PRODUCT CATALOGUE



# CONTENÜR



**CONTENUR**

Torneros 3  
Pol. In. Los Ángeles  
28906 Getafe  
Madrid, España  
contenur@contenur.es

[www.contenur.com/en](http://www.contenur.com/en)

PRODUCT  
**CATALOGUE**



CLICK ON THE ELEMENTS  
FOR MORE INFORMATION



# REAR-LOADING CONTAINERS

## The fullest range

**CONTENUR's** Rear-Loading containers are designed with all aspects of ergonomics and aesthetics. Manufactured with high-density injected polyethylene and designed to facilitate their use, efficiency and durability.

Designed to facilitate stacking and optimise logistics, thus helping reduce CO<sup>2</sup> emissions during transportation.

Manufactured under the highest international quality standards in each field of activity (DIN, EN-840, ISO, UN), these containers are the most resistant the market has to offer.

Available in a wide range of colours, they offer a complete series of accessories in order to cover any issue that may arise in each city's waste collection.

Thanks to their small number of manufacturing parts, they are easily assembled and installed without difficulty.

Different versions exist for each type of collection: paper and cardboard, glass, packaging, organic and other waste, etc.



QUALITY



ERGONOMICS



WIDE RANGE





CLICK ON THE ELEMENTS FOR MORE INFORMATION




# 2-WHEELS

## REAR-LOADING CONTAINERS ▶



### LID OPENING

Designed to lower slowly, ensuring a smooth shifting of the lid and noiseless closing.




### RFID CHIPS

Space inside the container body for chip hosting. This facilitates container identification and tracking.



### SOUNDPROOFING

Our design includes an exclusive leaf-spring soundproofing system to reduce the noise print.



### WHEELS

Wheels designed to avoid adhered dirt and to facilitate cleaning. Fast and simple assembly/dismantling.



### HANDLES







Equipped ex works with two handles integrated into the body to facilitate container handling.



### CUSTOMISATION

The container body may be customised with emblems, logos, etc., using thermal printing.

Model	Capacity	Nominal load	Wheels diameter
C80	80 L	32 Kg	200 mm
C90	90 L	36 Kg	200 mm
C120	120 L	48 Kg	200 mm
C140	140 L	56 Kg	200/250 mm
C180	180 L	72 Kg	200/250 mm
C240	240 L	96 Kg	200/250 mm
C360	340 L	136 Kg	200/300 mm





CLICK ON THE ELEMENTS  
FOR MORE INFORMATION



# 2-WHEELS

## REAR-LOADING CONTAINERS ▶



## ACCESSORIES ▶

### SELECTIVE OPENINGS –

*\* Check each model's availability*

Openings used to recycle different types of waste: paper and cardboard, glass, packaging, organic, MSW...

Circular openings, available in the following diameters:

- ▶ Ø150 mm
- ▶ Ø200 mm
- ▶ Ø250 mm
- ▶ Ø300 mm

Paper opening, sizes available:

- ▶ 277 x 65 mm
- ▶ 341 x 80 mm
- ▶ 370 x 85 mm

Brush opening, sizes available:

- ▶ 300 x 30 mm
- ▶ 330 x 150 mm

Opening for confidential waste, size available:

- ▶ 300 x 30 mm
- ▶ 330 x 30 mm

### MANUAL OR AUTOMATIC LOCK –

This prevents the container from opening

### NUMBERING –

On a plate or thermally printed on the body

### CUSTOMISATION –

Thermally printed on the body, maximum size 260 x 260 mm  
\*except for models 90 and 360 (maximum size 290 x 280 mm).

Thermally printed lid, maximum size 230 x 45 mm

Customisation with a sticker or adhesive vinyl. Both the body and lid of the container may be customised

### SIDE HANDLE –

Facilitates container handling



### PEDAL –

The pedal accessory is installed in the body to facilitate opening of the lid



### LID-IN-LID –

An accessory designed to preserve the selective collection of atmospheric agents and to avoid unpleasant smells. Useful size: 300 x 250 mm

Lid-in-lid options:

- ▶ Unlocked lid-in-lid
- ▶ Manually locked lid-in-lid
- ▶ Electronically locked lid-in-lid



### DOUBLE LID SYSTEM –

The double lid system makes it easy for users to deposit waste when the container is in a hard-to-reach place. The lid's double opening at the back and front makes the container more ergonomic and easier to handle. The system includes a manual lock integrated in the lid and made from high-density polythene



### SEPARATOR SYSTEM –

The separator system makes it easier for users to separate waste at source. The accessory divides the inside of the container in two and makes it easier to selectively collect more than one type of waste

CLICK ON THE ELEMENTS FOR MORE INFORMATION




# 4-WHEELS

## REAR-LOADING CONTAINERS ▶



### LID OPENING

Designed to lower slowly, ensuring a smooth shifting of the lid and noiseless closing.



### RFID CHIPS

Space inside the container body for chip hosting. This facilitates container identification and tracking.



### SOUNDPROOFING

Our design includes an exclusive leaf-spring soundproofing system to reduce the noise print.



### WHEELS

All four-wheel containers are fitted ex works with four wheels, 200 mm wide



### HANDLES

Equipped ex works with two handles integrated into the body to facilitate container handling.



### CUSTOMISATION

The container body may be customised with emblems, logos, etc., using thermal printing.

Model	Capacity	Nominal load	Wheels diameter
C700	660 L	264 Kg	160/200 mm
C800	770 L	308 Kg	160/200 mm
C1100	1100 L	440 Kg	200 mm
C1100 Roll top	1100 L	440 Kg	200 mm

C700



- 660 L capacity
- 264 Kg nominal load
- 4 wheels 160/200 mm

C800



- 770 L capacity
- 308 Kg nominal load
- 4 wheels 160/200 mm

C1100



- 1100 L capacity
- 440 Kg nominal load
- 4 wheels 200 mm

C1100 TC



- 1100 L capacity
- 440 Kg nominal load
- 4 wheels 200 mm



CLICK ON THE ELEMENTS  
FOR MORE INFORMATION



# 4-WHEELS

## REAR-LOADING CONTAINERS ▶



## ACCESSORIES ▶

### SELECTIVE OPENINGS –

*\* Check each model's availability*

Openings used to recycle different types of waste:  
paper and cardboard, glass, packaging, organic, MSW...

Circular openings, available in the following diameters:

- ▶ Ø150 mm
- ▶ Ø200 mm
- ▶ Ø250 mm
- ▶ Ø300 mm
- ▶ Ø350 mm

Rectangular openings, sizes available:

- ▶ 260 x 160 mm
- ▶ 350 x 200 mm

Paper opening, sizes available:

- ▶ 512 x 145 mm
- ▶ 524 x 150 mm
- ▶ 530 x 227 mm
- ▶ 620 x 196 mm

Brush opening, size available:

- ▶ 330 x 150 mm

Opening for confidential waste, size available:

- ▶ 300 x 35 mm
- ▶ 330 x 35 mm

### MANUAL OR AUTOMATIC LOCK –

This prevents the container from opening

### REFLECTIVE STRIPS –

Highly visible and adhesive

### NUMBERING –

On a plate or thermally printed on the body

### CUSTOMISATION –

Thermally printed on the body, maximum size  
400 x 400 mm

Thermally printed on the lid, maximum size  
230 x 45 mm

### CUSTOMISED STICKER OR ADHESIVE VINYL –

The container's body and lid may be customised with a  
sticker or adhesive vinyl

### SIDE HANDLE –

To facilitate container handling

### CENTRALISED BRAKE –

An accessory that blocks all wheels at the same time

### POSITIONER –

Used to mount the position of the container's  
undercarriage






## ACCESSORIES ▶



### PEDAL -

The pedal accessory, with or without a shock absorber, is installed in the body to facilitate lid opening. Side-pedal option available



### FORK POCKETS -

Mechanism to easily lift and tip the container



### LID-IN-LID -

An accessory designed to preserve the selective collection of atmospheric agents and to avoid unpleasant smells. Useful size: 300 x 250 mm

Lid-in-lid options:

- ▶ Unlocked lid-in-lid
- ▶ Manually locked lid-in-lid
- ▶ Electronically locked lid-in-lid



### RUBBER LID-IN-LID -

An accessory designed to preserve the selective collection of atmospheric agents and to avoid unpleasant smells. Useful size: 285 x 150 mm

Lid-in-lid options:

- ▶ Unlocked lid-in-lid



### LARGE LID-IN-LID -

An accessory designed to preserve the selective collection of atmospheric agents and to avoid unpleasant smells. Useful size: 400 x 330 mm

Lid-in-lid options:

- ▶ Unlocked lid-in-lid
- ▶ Manually locked lid-in-lid
- ▶ Electronically locked lid-in-lid




### ACCESSIBILITY PACK -

- ▶ Accessible body opening
- ▶ Accessibility sign
- ▶ Braille plate



### TOW KITS -

Facilitates moving multiple containers at the same time



### OSCHNER SYSTEM -

A system used to raise the container



CLICK ON THE ELEMENTS FOR MORE INFORMATION



# OTHER CONTAINERS

REAR-LOADING ▶



## CONTAINERS FOR CLINICAL WASTE OR ADR ▶

### 2-WHEEL FEATURES:

- ▶ **UN customisation and ADR waste marking**
  - Containers certified under standard UN 3291 Marked as follows: C240/C360 UN 50H/Y/Y/E/\*\*/SE-0015/O/\*\*
  - Customisation on both sides of the container body
- ▶ **Transportation**

Transportation and deposit of ADR waste according to UN 3291 regulations
- ▶ **Lock**

All containers come with a manual lock, accessed by authorised staff only
- ▶ **Handles**

A comfortable handle fitted into the container body, for easier manipulation

### 4-WHEEL FEATURES:

- ▶ **UN customisation and ADR waste marking**
  - Containers certified under standard UN 3291 Marked as follows: C700/C1100 UN 50H/Y/Y/E/\*\*/SE-0015/O/\*\*
  - Customisation on both sides of the container body
- ▶ **Transportation**

Transportation and deposit of ADR waste according to UN 3291 regulations
- ▶ **Lock**

All containers come with a manual lock, accessed by authorised staff only
- ▶ **Handles**

Two comfortable handles fitted into the sides of the container body, to facilitate manipulation
- ▶ **Wheels**
  - Possible directional blocking accessory, when the container is used in a joint towline
  - Containers may be manufactured with grey trackless wheels (as an option)

Model	C240	C360
Capacity	240 L	340 L
Nominal load	96 Kg	136 Kg
Wheel diameter	200 mm	200 mm

Model	C700	C1100
Capacity	660 L	1100 L
Nominal load	264 Kg	440 Kg
Wheel diameter	200 mm	200 mm



## BIOCONTAINER ▶

### FEATURES:

- ▶ Ventilation mesh at the top and bottom of the container body to facilitate the production of household compost
- ▶ Polyethylene base at the bottom of the container, allowing organic waste to be transformed into compost
- ▶ Customisation:
  - Thermally printed on the body and lid
  - Sticker or adhesive vinyl
  - Highly visible adhesive reflective strips



Capacity	120 L
Height	996 mm
Depth	554 mm
Width	482 mm
Capacity	240 L
Height	1070 mm
Depth	735 mm
Width	581 mm

## HOUSEHOLD BIN ▶



### FEATURES:

- ▶ Metal handle made of zinc-plated steel, allowing the lid's opening space to be adjusted and mounted
- ▶ Customised with a thermally printed body
- ▶ Customised with a sticker or vinyl on the body and lid

Capacity	40 L
Weight	1,65 Kg
Height	487 mm
Depth	244 mm
Width	326 mm

**www.  
contenur.  
com/en**

MK21CORP.CAT.ENG.V1

