PRODUCT CATALOGUE



CONTENUR



CONTENUR

Torneros 3 Pol. In. Los Ángeles 28906 Getafe Madrid. España contenur@contenur.es

www.contenur.com/en






CRANE-LIFT RANGE >

Perfect for selective collection

CONTENUR's crane-lift range are manufactured through rotomoulding, with high-density linear polyethylene dyed in the mass and stabilised to fight the combined action of water and UV rays, extending their useful life and generating a highly resistant product to atmospheric agents.

These containers are manufactured under the highest international standards, and hold strict quality and product certifications. Conceived to easily fit into the city's landscape, offering specific solutions for each type of waste. Available in a wide range of colours, with a full set of accessories to resolve any incident that may arise in each city's waste collection. Different lifting systems available: regular hook, double hook or Kinshofer.

Thanks to its manufacturing system, materials and design, little maintenance is required.





CONTAINERS — Crane-Lift Range

<u>277</u>

CLICK ON THE ELEMENTS FOR MORE INFORMATION



CRANE-LIFT RANGE ►

			Model	Capacity	Unladen Weight	Maximum Load	Total Height	Opening Height	Lifting system
MANUFACTURING Manufactured using a rotomoulding system with high-density linear polyethylene, extending its useful life.	f	LIFTING SYSTEM Anti-rust metal lifting system. Available for different systems: regular hook, double hook and Kinshofer.	OVAL Igloo	3000 L	140 Kg	1200 Kg	1600 mm	1190 mm 1250 mm	Double hook / Kinshofer
DESIGN Conceived for full integration into city and rural areas, offering specific	Ś	CUSTOMISATION Crane-Lift – Bilateral-Loading containers may be customised with emblems, logos, etc., by placing a sticker or adhesive vinyl. CFFICIENT MAINTENANCE Crane-Lift – Bilateral-Loading containers require little maintenance thanks to their manufacturing system, materials and design. Their small number of parts and components ensure efficient maintenance.	OPTIK Igloo	2000 L 3000 L 4000 L	207 Kg 246 Kg 285 Kg	800 Kg 1200 Kg 1600 Kg	1889 mm	1200 mm 1500 mm	Regular hook / Double hook / Kinshofer
solutions for each type of waste.	三角		2 Side System Igloo	2000 L 2800 L 3600 L	130 Kg 161 Kg 179 Kg	800 Kg 1120 Kg 1440 Kg	1600 mm	1180 mm	Double hook / Kinshofer
All Crane-Lift – Bilateral-Loading containers are designed and manufactured further to EN-13071 quality standards.			Circular Igloo	2500 L 3000 L	90 Kg 102 Kg	625 Kg 750 Kg	1700 mm	1427 mm 1475 mm	Double hook / Kinshofer
			Rectangular Igloo	2500 L	120 Kg	625 Kg	1827 mm	1450 mm	Double hook / Kinshofer
			Agora Igloo	2700 L	180 Kg	1080 Kg	1665 mm	1197 mm 1357 mm	Double hook / Kinshofer
			3200 Igloo	3200 L	213 Kg	1280 Kg	1727 mm	1315 mm	Double hook / Kinshofer
			Cite Igloo	2200 L	140 Kg	880 Kg	1854 mm	1200 mm 1463 mm	Double hook / Kinshofer
			Metallic Igloo	3000 L	268 Kg	750 Kg	1620 mm	1300 mm	Double hook / Kinshofer











رألس



Regular hook / Double hook / Kinshofer 3000 L capacity 1200 Kg nominal load 1200 - 1500 mm opening height




Regular hook / Double hook / Kinshofer 4000 L capacity 1600 Kg nominal load 1200 - 1500 mm opening height















```
2500 L capacity
```

- 625 Kg nominal load
- 1450 mm opening height



- Double hook / Kinshofer
- 3200 L capacity
- 1280 Kg nominal load
- 1315 mm opening height



- Double hook / Kinshofer
- 3000 L capacity
- 750 Kg nominal load
- 1300 mm opening height

ACCESSORIES >



USER LID -

Light and buffered, slowing down the lowering of the lid to avoid a sudden closure. Available for different fractions



CUSTOMISED STICKER OR ADHESIVE VINYL -

Large customisation potential in the body for logos and waste recycling instructions, to include the front and back edge



MANUAL LOCK-

Preventing the container from opening







WASTE IDENTIFICATION -

Relief sign and Braille marking for visually impaired users. Placed on the container body to indicate the type of waste

COVERED SELECTIVE OPENINGS -

Accessory designed to prevent water seeping into the container. It guarantees uniformity in island design

ELECTRONIC LOCK -

Reliable and fitted lock to reduce incidents



57 | PRODUCT CATALOGUE

ACCESSORIES ►



SELECTIVE OPENINGS -

Used to recycle different types of waste: glass, paper and cardboard, packaging, MSW...

Circular openings, diameters available:

- ▶ Ø200 mm
- ▶ Ø400 mm

Paper opening, size available: 890 x 210 mm

Large lid-in-lid, useful size: 400 x 400 mm



DOUBLE LID IN LID -

User lid made up of two big sized lid in lids. Specially designed for recyclable and non-recyclable waste. Dimensions of each lid in lid: 400 x 400 mm



LARGE-PRODUCER SYSTEM -

System to help the emptying of large-producer containers, facilitating the deposit of waste

CRANE-LIFT RANGE >



ACCESSORIES ►



VOLUME -

Designed to recycle glass, packaging, paper, organic matter and organic waste

Three volume options: 2m³, 3m³, 4m³



SELECTIVE OPENINGS -

Possibility of user openings on all four sides: two on the front and back, and one on each side.

Circular openings (packaging and glass): Ø180 mm

Rectangular opening (packaging and paper): 350 x 150 mm

Large lid-in-lid (waste and organic matter): useful size, 330 x 400 mm

Rectangular opening (paper). Available dimensions:

- ▶ 2m³: 600 x 150 mm
- 4m³: 1000 x 150 mm; 1000 x 200 mm; 1000 x 350mm



VOLUMETRIC BOX -

Accessory that limits the volume of waste introduced at each use



PEDAL -

- * Only available for regular hook lifting systems
- Emptying door fitted with a pedal to activate the downloading door, allowing the container to be fully emptied

CUSTOMISED STICKER OR ADHESIVE VINYL -


- Large areas for customisation, using logos and waste instructions.
- Front and back, sizes available:
 - 420 x 320 mm
 - 420 x 630 mm
- ▶ Side: max. size 500 x 600 mm

ACCESSIBLE OPENINGS -

User openings at different heights for greater accessibility.

- Front and back: 1200 mm and 1500 mm
- ► Side: 900 mm

 $^{\rm m}$



ACCESSORIES ►



VOLUME -

Three volume options available:


- ▶ 2000 L
- ▶ 2800 L
- ▶ 3600 L



SELECTIVE OPENINGS -

Openings used to recycle different types of waste: paper and cardboard, glass, packaging, organic and other waste...

- Circular openings Ø200 and Ø350 mm
- Rectangular opening 900 x 200 mm



USER LID -

Equipped with a pedal to allow contactless opening of the lid. Sizes available:

- ▶ 400 x 400 mm
- ▶ 650 x 400 mm

2SIDE SYSTEM® IGLOO CRANE-LIFT RANGE ►





PEDAL -

CONTENUR-patented hood design preventing the pedal from protruding over the sides



MANUAL LOCK -

This allows the user lid to be opened with a key-operated manual lock

CUSTOMISATION -

Each igloo may be customised with a sticker, facilitating citizen recycling by including pictures and icons to rapidly identify each container

Sizes available:

- ▶ 445 x 480 mm
- ▶ 795 x 480 mm
- ▶ 1145 x 480mm

CIRCULAR IGLOO

CLICK ON THE ELEMENTS FOR MORE INFORMATION



ACCESSORIES ►



SELECTIVE OPENINGS -

Circular openings for packaging and glass fractions, diameters available:

- ▶ Ø200 mm
- ▶ Ø250 mm

Rectangular opening, sizes available:

- ▶ 410 x 150 mm
- ▶ 435 x 260 mm




LARGE-PRODUCER SYSTEM -

A system used to help empty large-producer containers, facilitating waste deposit



PROFESSIONAL DOOR -

An accessory exclusive designed for the services sector, facilitating waste deposit



CUSTOMISED STICKER OR ADHESIVE VINYL -

Each igloo may be customised with a sticker or adhesive vinyl



REFLECTIVE STRIPS -

Highly visible and adhesive

ACCESSORIES >



SELECTIVE OPENINGS -

Circular openings for packaging and glass fractions, sizes available:

- ▶ Ø200 mm
- ▶ Ø250 mm

Rectangular openings, sizes available:

- ▶ 410 x 150 mm
- ▶ 780 x 150 mm
- ▶ 925 x 150 mm



LARGE-PRODUCER SYSTEM -

A system to help the emptying of large-producer containers, to facilitate waste deposit




PROFESSIONAL DOOR -

An accessory exclusively designed for the services sector, to facilitate waste deposit.

Size available: 455 x 270 mm

RECTANGULAR IGLOO CRANE-LIFT RANGE >





CUSTOMISED STICKER OR ADHESIVE VINYL -

Each igloo may be customised with a sticker or adhesive vinyl



REFLECTIVE STRIPS –

Highly visible and adhesive







ACCESSIBILITY PACK -

- ► Accessible opening in the body
- Accessibility sign
- Braille plate



ACCESSORIES ►



SELECTIVE OPENINGS -

Circular openings for packaging and glass fractions, available diameters:

- ▶ Ø200 mm
- ▶ Ø300 mm

Rectangular opening for the paper fraction, size available: 700 x 150 mm



LARGE-PRODUCER SYSTEM -

A system to help the emptying of large-producer containers, to facilitate waste deposit



PROFESSIONAL DOOR -

An accessory exclusively designed for the services sector, to facilitate waste deposit







CUSTOMISED STICKER OR ADHESIVE VINYL -

Each igloo may be customised with a sticker or adhesive vinyl, maximum size 320 x 760 mm



ACCESS FOR KIDS -

An accessory allowing kids to access the container, encouraging their participation in waste recycling վիր

3200L IGLOO CRANE-LIFT RANGE >



ACCESSORIES ►




SELECTIVE OPENINGS -

Circular openings, for packaging and glass fractions, sizes available:

- ▶ Ø200 mm
- ▶ Ø250 mm
- ► Ø300 mm (front area)

Rectangular opening for the paper fraction, size available: 780 x 150 mm



PROFESSIONAL DOOR -

An accessory exclusively designed for the services sector, to facilitate waste deposit



CUSTOMISED STICKER OR ADHESIVE VINYL -

Each igloo may be customised with a sticker or adhesive vinyl



REFLECTIVE STRIPS –

Highly visible and adhesive

CITE IGLOO CRANE-LIFT RANGE ►





METALLIC IGLOO

ACCESSORIES ►



SELECTIVE OPENINGS -

Circular openings for packaging and glass fractions, diameters available:

- ▶ Ø250 mm
- ▶ Ø300 mm

Rectangular opening for the paper fraction, size available: 1000 x 180 mm



CUSTOMISED STICKER OR ADHESIVE VINYL -

Each igloo may be customised with a sticker or adhesive vinyl



CLICK ON THE ELEMENTS FOR MORE INFORMATION

CUSTOMISATION -

Customisation potential in container bodies, by printing the front and back.

Front area, maximum sizes available:

- ▶ 1240 x 140 mm
- ▶ 1240 x 170 mm
- ▶ 1240 x 240 mm

Back area, maximum size: 850 x 240 mm





SELECTIVE OPENINGS -

Circular openings exclusively designed for recycling of the glass fraction, available diameter:

▶ Ø150 mm



EMPTYING DOORS -

Anti-rust metal emptying system





ACCESSIBLE OPENING -

Two openings located at a height of 1200 mm for greater accessibility

CUSTOMISED WITH A STICKER OR ADHESIVE VINYL-

Each igloo may be customised with a sticker or adhesive vinyl





EN: MK23CORP.CAT.ENG.VI